


Anti-Human NONO Polyclonal Antibody

Summary

Catalog No.	PHH04701
Host species	Rabbit
Tested applications	ELISA: 1:4000-1:8000, IHC: 1:50-1:100, WB: 1:1000-1:4000
Species reactivity	Human
Immunogen	E. coli - derived recombinant Human NONO (Arg73-Arg256).
Form	Liquid
Storage buffer	0.01M PBS, pH 7.4, 50% Glycerol, 0.05% Proclin 300.
Clonality	Polyclonal
Isotype	IgG
Applications	ELISA, IHC, WB
Target	54 kDa nuclear RNA- and DNA-binding protein, NRB54, p54nrb, NMT55, NonO protein, p54(nrb), 55 kDa nuclear protein, NONO, DNA-binding p52/p100 complex, 52 kDa subunit, Non-POU domain-containing octamer-binding protein
Purification	Purified by antigen affinity column.
Accession	Q15233
Stability and Storage	Use a manual defrost freezer and avoid repeated freeze thaw cycles. Store at 2 to 8°C for frequent use. Store at -20 to -80°C for twelve months from the date of receipt.
Note	For research use only.

Data Image



Western Blot

Various lysates were subjected to SDS PAGE followed by western blot with NONO antibody (PHH04701) at 1 μ g/ml.

Lane 1: NIH3T3 cell lysate


Lane 2: PC12 cell lysate

Lane 3: 293T cell lysate

Second Ab: Goat Anti-Rabbit IgG H&L Polyclonal antibody, HRP (PTB96431) at 0.1 μ g/mL.


Predict MW: 54 kDa

Observed MW: 54 kDa



Immunohistochemical

Immunohistochemical analysis of mouse brain stained for NONO with PHH04701.



Western Blot

Recombinant Protein lysates were subjected to SDS PAGE followed by western blot with NONO antibody (PHH04701) at 1 μ g/ml.

Lane 1: Recombinant Protein

Second Ab: Goat Anti-Rabbit IgG H&L Polyclonal antibody, HRP (PTB96431) at 0.1 μ g/mL.

Predict MW: 23 kDa

Observed MW: 23 kDa