


Anti-CD331/FGFR1 Polyclonal Antibody

Summary

Catalog No.	PHC88101
Host species	Rabbit
Tested applications	ELISA: 1:4000-1:8000, IHC: 1:50-1:100, WB: 1:1000-1:4000
Species reactivity	Human, Mouse, Rat
Immunogen	E. coli - derived recombinant Human CD331/FGFR1 (Trp471-Arg821).
Form	Liquid
Storage buffer	0.01M PBS, pH 7.4, 50% Glycerol, 0.05% Proclin 300.
Clonality	Polyclonal
Isotype	IgG
Applications	ELISA, IHC, WB
Target	FLT2,HBGFR,BFGFR,FGFR-1,CEK,Fibroblast growth factor receptor 1,FGFR1,bFGF-R-1,Fms-like tyrosine kinase 2,FGFBR,FLT-2,CD331,Basic fibroblast growth factor receptor 1,FLG,Proto-oncogene c-Fgr,N-sam
Purification	Purified by antigen affinity column.
Accession	P11362
Stability and Storage	Use a manual defrost freezer and avoid repeated freeze thaw cycles. Store at 2 to 8°C for frequent use. Store at -20 to -80°C for twelve months from the date of receipt.
Note	For research use only.

Data Image



WESTERN BLOT

Recombinant Protein lysates were subjected to SDS PAGE followed by western blot with CD331/FGFR1 antibody (PHC88101) at 1 μ g/ml.

Lane 1: Recombinant protein


Second Ab: Goat Anti-Rabbit IgG H&L Polyclonal antibody, HRP (PTB96431) at 0.1 μ g/mL.

Predict MW: 42 kDa

Observed MW: 42 kDa

CD331 / FGFR1 in SKOV3 Cell Line.

The SKOV3 cells were fixed with 4% paraformaldehyde (20 min), and then blocked with 5% goat serum for 1h. And the cells were incubated for 2h at 37°C with CD331 / FGFR1 (PHC88101) at 5.2 μ g/ml. The section was then incubated with Goat Anti-Rabbit IgG (Alexa Fluor-488) preabsorbed at 1/100 dilution (Shown in green) for 1 hour at room temperature. Nuclear DNA was labelled with DAPI (shown in blue).



Immunocytochemistry/ Immunofluorescence