

Anti-Human RSAD2 Polyclonal Antibody

Summary

Catalog No. PHK46601

Host species Rabbit

Tested applications ELISA: 1:4000-1:8000, IHC: 1:50-1:100, WB: 1:1000-1:4000

Species reactivity Human

Immunogen E. coli - derived recombinant Human RSAD2 (Ser74-Trp361).

Form Liquid

Storage buffer 0.01M PBS, pH 7.4, 50% Glycerol, 0.05% Proclin 300.

Clonality Polyclonal

Isotype IgG

Applications ELISA, IHC, WB

RSAD2, Viperin, Cytomegalovirus-induced gene 5 protein, Radical S-

Target adenosyl methionine domain-containing protein 2, Virus inhibitory

protein, endoplasmic reticulum-associated, interferon-inducible, CIG5

Purification Purified by antigen affinity column.

Accession Q8WXG1

Use a manual defrost freezer and avoid repeated freeze thaw cycles. Store


Stability and Storage at 2 to 8°C for frequent use. Store at -20 to -80°C for twelve months from

the date of receipt.

Note For research use only.

Data Image

Recombinant Proteins & Antibodies




Various lysates were subjected to SDS PAGE followed by western blot with RSAD2 antibody (PHK46601) at 1µg/ml.

Lane 1: HUVEC cell lysate Lane 2: Mouse spleen lysate Lane 3: Mouse brain lysate Lane 4: Mouse lung lysate Lane 5: Rat spleen lysate Lane 6: Rat brain lysate Lane 7: Rat lung lysate

Second Ab: Goat Anti-Rabbit IgG H&L Polyclonal antibody, HRP (PTB96431) at 0.1 µg/mL.

Predict MW: 42 kDa Observed MW: 46 kDa



Immunohistochemical

Immunohistochemical analysis of human kidney stained for RSAD2 with PHK46601.



Recombinant Proteins & Antibodies



Western Blot

Recombinant Protein lysates were subjected to SDS PAGE followed by western blot with RSAD2 antibody (PHK46601) at 1 μ g/ml.

Lane 1: Recombinant Protein

Second Ab: Goat Anti-Rabbit IgG H&L Polyclonal antibody, HRP (PTB96431) at 0.1 µg/mL.

Predict MW: 36 kDa Observed MW: 36 kDa