

Anti-EGR1 Polyclonal Antibody

Summary


Catalog No.	PHD28701
Host species	Rabbit
Tested applications	ELISA: 1:4000-1:8000, IHC: 1:50-1:100, WB: 1:1000-1:4000
Species reactivity	Human, Mouse, Rat
Immunogen	E. coli - derived recombinant Human EGR1 (Gln282-Ser433).
Form	Liquid
Storage buffer	0.01M PBS, pH 7.4, 50% Glycerol, 0.05% Proclin 300.
Clonality	Polyclonal
Isotype	IgG
Applications	ELISA, IHC, WB
Target	Zinc finger protein Krox-24,EGR-1,Nerve growth factor-induced protein A,Early growth response protein 1,NGFI-A,KROX24,Transcription factor ETR103,ZNF225,Transcription factor Zif268,Zinc finger protein 225,EGR1,AT225
Purification	Purified by antigen affinity column.
Accession	P18146
Stability and Storage	Use a manual defrost freezer and avoid repeated freeze thaw cycles. Store at 2 to 8°C for frequent use. Store at -20 to -80°C for twelve months from the date of receipt.
Note	For research use only.




🖌 AntibodySystem

Recombinant Proteins & Antibodies

Data Image



WESTERN BLOT



Immunocytochemistry/ Immunofluorescence

Recombinant Protein lysates were subjected to SDS PAGE followed by western blot with EGR1 antibody (PHD28701) at 1 µg/ml.

Lane 1: Recombinant protein

Second Ab: Goat Anti-Rabbit IgG H&L Polyclonal antibody, HRP (PTB96431) at 0.1 µg/mL.

Predict MW: 20 kDa Observed MW: 20 kDa

EGR1 in H929 Cell Line.

The H929 cells were fixed with 4% paraformaldehyde (20 min), and then blocked with 5% goat serum for 1h. And the cells were incubated for 2h at 37°C with EGR1 (PHD28701) at 15.8 µg/ml. The section was then incubated with Goat Anti-Rabbit IgG (Alexa Fluor-488) preabsorbed at 1/100 dilution (Shown in green) for 1 hour at room temperature.Nuclear DNA was labelled with DAPI (shown in blue).



