

Anti-AKT2 Polyclonal Antibody

Summary

Catalog No. PHD96601

Host species Rabbit

Tested applications ELISA: 1:4000-1:8000, IHC: 1:50-1:100, WB: 1:1000-1:4000

Species reactivity Human, Mouse, Rat

Immunogen E. coli - derived recombinant Human AKT2 (Met1-Lys146).

Form Liquid

Storage buffer 0.01M PBS, pH 7.4, 50% Glycerol, 0.05% Proclin 300.

Clonality Polyclonal

Isotype IgG

Applications ELISA, IHC, WB

PKB beta, Protein kinase Akt-2, AKT2, Protein kinase B beta, RAC-beta **Target**

serine/threonine-protein kinase,RAC-PK-beta

Purification Purified by antigen affinity column.

Accession P31751

Use a manual defrost freezer and avoid repeated freeze thaw cycles. Store


Stability and Storage at 2 to 8°C for frequent use. Store at -20 to -80°C for twelve months from

the date of receipt.

Note For research use only.

Data Image

Immunocytochemistry/ Immunofluorescence



Western Blot

AKT2 in NIH3T3 Cell Line.

The NIH3T3 cells were fixed with 4% paraformaldehyde (20 min), and then blocked with 5% goat serum for 1h. And the cells were incubated for 2h at 37°C with AKT2 (PHD96601) at 10.6 µg/ml. The section was then incubated with Goat Anti-Rabbit IgG (Alexa Fluor-488) preabsorbed at 1/100 dilution (Shown in green) for 1 hour at room temperature. Nuclear DNA was labelled with DAPI (shown in blue).

Recombinant Protein lysates were subjected to SDS PAGE followed by western blot with AKT2 antibody (PHD96601) at 1 μ g/ml.

Lane 1: Recombinant protein

Second Ab: Goat Anti-Rabbit IgG H&L Polyclonal antibody, HRP (PTB96431) at 0.1 µg/mL.

Predict MW: 19 kDa Observed MW: 19 kDa

