

# Recombinant Human CD332/FGFR2 Protein, C-hFc-His (Active)

## Summary


---

<b>Catalog No.</b>	AHD47901
<b>Alternative Names</b>	K-sam, KSAM, CD332, Keratinocyte growth factor receptor, Fibroblast growth factor receptor 2, FGFR-2, FGFR2, KGFR, BEK
<b>Form</b>	Lyophilized
<b>Storage buffer</b>	Lyophilized from a solution in PBS pH 7.4, 5% Trehalose, 5% Mannitol.
<b>Purity</b>	>90% as determined by SDS-PAGE.
<b>Applications</b>	Bioactivity, ELISA, Immunogen, SDS-PAGE, WB
<b>Biological activity</b>	Measured by its ability to inhibit FGF-acidic dependent proliferation of mouse fibroblasts (Balb/c 3T3). The ED50 for this effect is typically 0.5-2 ng/mL.
<b>Endotoxin level</b>	<0.1 EU/μg of the protein by the LAL method.
<b>Expression system</b>	Mammalian Cells
<b>Accession</b>	P21802
<b>Protein length</b>	Arg22-Glu377
<b>Nature</b>	Recombinant
<b>Stability and Storage</b>	Use a manual defrost freezer and avoid repeated freeze thaw cycles. Store at 2 to 8°C for one week. Store at -20 to -80°C for twelve months from the date of receipt.
<b>Reconstitution</b>	Reconstitute in sterile water for a stock solution. A copy of datasheet will be provided with the products, please refer to it for details.

## Recombinant Proteins & Antibodies

<b>Species</b>	Homo sapiens (Human)
<b>Shipping</b>	In general, proteins are provided as lyophilized powder/frozen liquid. They are shipped out with dry ice/blue ice unless customers require otherwise.
<b>Note</b>	For research use only.

## Data Image



Measured by its ability to inhibit FGF-acidic dependent proliferation of mouse fibroblasts (Balb/c 3T3). The ED50 for this effect is typically 0.5-2 ng/mL.

### Bioactivity



### SDS-PAGE

SDS-PAGE for Recombinant human FGFR2 protein