

# Anti-NQO2 Antibody (R1P90)

## Summary

---

|                            |  |
|----------------------------|--|
| <b>Catalog No.</b>         | RHD14901   |
| <b>Clone ID</b>            | R1P90  |
| <b>Host species</b>        | Rabbit   |
| <b>Tested applications</b> | FCM: 1:20-1:100, WB: 1:1000-1:2000   |
| <b>Species reactivity</b>  | Human, Mouse, Rat  |
| <b>Form</b>                | Liquid   |
| <b>Storage buffer</b>      | 0.01M PBS, pH 7.4, 0.05% BSA, 50% Glycerol, 0.05% Sodium azide.  |
| <b>Concentration</b>       | 1 mg/ml  |
| <b>Purity</b>              | >95% by SDS-PAGE.  |
| <b>Clonality</b>           | Monoclonal   |
| <b>Isotype</b>             | IgG  |
| <b>Applications</b>        | FCM, WB  |
| <b>Target</b>              | QR2, NMOR2, NQO2, Quinone reductase 2, NRH:quinone oxidoreductase 2, NRH dehydrogenase [quinone] 2, Ribosyldihydronicotinamide dehydrogenase [quinone] |
| <b>Purification</b>        | Protein A/G purified from cell culture supernatant.  |
| <b>Endotoxin level</b>     | Please contact with the lab for this information.  |
| <b>Accession</b>           | P16083   |


## Stability and Storage

Use a manual defrost freezer and avoid repeated freeze thaw cycles. Store at 4 °C for frequent use. Store at -20 °C for twelve months from the date of receipt.

## Note


For research use only.

## Data Image




Western blot

All lanes use the Antibody at 1:2K dilution for 1 hour at room temperature.



Western blot

All lanes use the Antibody at 1:2K dilution for 1 hour at room temperature.



Western blot

Western blot analysis of NQO2 expression in Mouse heart lysate.