

# Anti-FADD Antibody (R2D96)

## Summary

---


<b>Catalog No.</b>	RMG42701
<b>Clone ID</b>	R2D96
<b>Host species</b>	Rabbit
<b>Tested applications</b>	IHC: 1:50-1:100, WB: 1:500-1:1000
<b>Species reactivity</b>	Human, Mouse
<b>Form</b>	Liquid
<b>Storage buffer</b>	0.01M PBS, pH 7.4, 0.05% BSA, 50% Glycerol, 0.05% Sodium azide.
<b>Concentration</b>	1 mg/ml
<b>Purity</b>	>95% by SDS-PAGE.
<b>Clonality</b>	Monoclonal
<b>Isotype</b>	IgG
<b>Applications</b>	IHC, WB
<b>Target</b>	Growth-inhibiting gene 3 protein, Mediator of receptor induced toxicity, MORT1, FAS-associating death domain-containing protein, FAS-associated death domain protein, FADD, Protein FADD
<b>Purification</b>	Protein A/G purified from cell culture supernatant.
<b>Endotoxin level</b>	Please contact with the lab for this information.
<b>Accession</b>	Q61160

**Stability and Storage**

Use a manual defrost freezer and avoid repeated freeze thaw cycles. Store at 4 °C for frequent use. Store at -20 °C for twelve months from the date of receipt.


**Note**

For research use only.

**Data Image**


Immunohistochemical

Immunohistochemistry analysis of paraffin-embedded mouse liver using FADD antibody. High-pressure and temperature Sodium Citrate pH 6.0 was used for antigen retrieval.



Western blot

Western blot analysis of FADD in Raw264.7 lysates using FADD antibody.



Western blot analysis of FADD in SH-SY5Y lysates  
using FADD antibody