

# Anti-NCF4 Antibody (R2F99)

## Summary

---

<b>Catalog No.</b>	RHH01601
<b>Clone ID</b>	R2F99
<b>Host species</b>	Rabbit
<b>Tested applications</b>	IF: 1:50-1:200, IHC: 1:50-1:100, IP: 1:20, WB: 1:500-1:1000
<b>Species reactivity</b>	Human
<b>Form</b>	Liquid
<b>Storage buffer</b>	0.01M PBS, pH 7.4, 0.05% BSA, 50% Glycerol, 0.05% Sodium azide.
<b>Concentration</b>	1 mg/ml
<b>Purity</b>	>95% by SDS-PAGE.
<b>Clonality</b>	Monoclonal
<b>Isotype</b>	IgG
<b>Applications</b>	IF, IHC, IP, WB
<b>Target</b>	Neutrophil cytosol factor 4, NCF-4, p40-phox, NCF4, p40phox, SH3 and PX domain-containing protein 4, Neutrophil NADPH oxidase factor 4, SH3PXD4
<b>Purification</b>	Protein A/G purified from cell culture supernatant.
<b>Endotoxin level</b>	Please contact with the lab for this information.
<b>Accession</b>	Q15080

**Stability and Storage**


Use a manual defrost freezer and avoid repeated freeze thaw cycles. Store at 4 °C for frequent use. Store at -20 °C for twelve months from the date of receipt.

**Note**

For research use only.


**Data Image**

---




Immunofluorescence

Immunocytochemistry analysis of p4phox (green) in hela using p4phox antibody, and DAPI(blue)



Immunohistochemical

Immunohistochemistry analysis of paraffin-embedded Human tonsil using p4phox antibody. High-pressure and temperature Sodium Citrate pH 6.0 was used for antigen retrieval.



Western blot

Western blot analysis of p40phox in HL-60, U251 lysates using NCF4 antibody.