

## Anti-CD2 Antibody (R2Z82)

## Summary

Catalog No.	RHC20801
Clone ID	R2Z82
Host species	Mouse
Tested applications	IHC: 1:50-1:100
Species reactivity	Human, Mouse, Rat
Form	Liquid
Storage buffer	0.01M PBS, pH 7.4, 0.5% BSA, 0.05% Sodium Azide and 50% Glycerol.
Concentration	1 mg/ml
Purity	>95% as determined by SDS-PAGE.
Clonality	Monoclonal
Isotype	IgG1
Applications	IHC
Target	Erythrocyte receptor, SRBC, T-cell surface antigen CD2, Rosette receptor, CD2, LFA-3 receptor, T-cell surface antigen T11/Leu-5, LFA-2
Purification	Protein A/G purified from cell culture supernatant.
Endotoxin level	Please contact with the lab for this information.
Accession	P06729
Stability and Storage	Use a manual defrost freezer and avoid repeated freeze-thaw cycles. Store at 4°C short term (1-2 weeks). Store at -20°C 12 months. Store at - 80°C long term.




🍸 AntibodySystem

Note


For research use only.

## Data Image



Immunohistochemical

Immunohistochemistry analysis of paraffinembedded Human colon tissue using CD2 antibody.High-pressure and temperature Sodium Citrate pH 6.0 was used for antigen retrieval.Negative control was used by secondary antibody only.



Immunohistochemical


Immunohistochemical analysis of paraffinembedded Human tonsils using CD2 antibody.Highpressure and temperature Sodium Citrate pH 6.0 was used for antigen retrieval.Negative control was used by secondary antibody only.

 $\square$ 






Recombinant Proteins & Antibodies



Immunohistochemical

Immunohistochemistry analysis of paraffinembedded mouse spleen tissue using CD2 antibody. High-pressure and temperature Sodium Citrate pH 6.0 was used for antigen retrieval. Negative control was used by secondary antibody only.



Immunohistochemical

Immunohistochemistry analysis of paraffinembedded Human Tonsil Caricnoma using CD2 antibody.High-pressure and temperature Sodium Citrate pH 6.0 was used for antigen retrieval.



