

# Anti-P4HB Antibody (R3A11)

## **Summary**

Catalog No. RHC24105

Clone ID R3A11

Host species Mouse

Tested applications ELISA: 1:10000, FCM: 1:200-1:400, IF: 1:200-1:1000, IHC: 1:200-1:1000, WB:

1:500-1:2000

Species reactivity Human

Form Liquid

Storage buffer 0.01M PBS, pH 7.4, 0.05% Sodium Azide.

Concentration 1 mg/ml

Purity >95% as determined by SDS-PAGE.

**Clonality** Monoclonal

Isotype IgG2a

**Applications** ELISA, FCM, IF, IHC, WB

Target Protein disulfide-isomerase, Cellular thyroid hormone-binding protein,

PDI, p55, ERBA2L, PO4DB, Prolyl 4-hydroxylase subunit beta, P4HB, PDIA1

**Purification** Protein A/G purified from cell culture supernatant.

Endotoxin level Please contact with the lab for this information.

Accession P07237



### Recombinant Proteins & Antibodies


Use a manual defrost freezer and avoid repeated freeze-thaw cycles.

**Stability and Storage** Store at 4°C short term (1-2 weeks). Store at -20°C 12 months. Store at -

80°C long term.

Note For research use only.

### Data Image




Flow Cytometry

Flow cytometric analysis of HepG2 cells using P4HB mouse mAb (green) and negative control (red).




Immunofluorescence

Immunofluorescence analysis of Hela cells using P4HB mouse mAb (green). Blue: DRAQ5 fluorescent DNA dye. Red: Actin filaments have been labeled with Alexa Fluor- 555 phalloidin.




#### Recombinant Proteins & Antibodies




**Immunohistochemical** 

Immunohistochemical analysis of paraffinembedded human lung cancer tissues using P4HB mouse mAb with DAB staining.



**Immunohistochemical** 

Immunohistochemical analysis of paraffinembedded human cervical carcinoma tissues using P4HB mouse mAb with DAB staining.




Western blot

Western blot analysis using P4HB mouse mAb against Hela (1), PANC-1 (2), MCF-7 (3), THP-1 (4),SW620 (5)and HepG2 (6)cell lysate.





#### Recombinant Proteins & Antibodies



Western blot analysis using P4HB mouse mAb against Hela (1), PANC-1 (2), MCF-7 (3), THP-1 (4),SW620 (5)and HepG2 (6)cell lysate.