

Anti-PDHA1 Antibody (R3A92)

Summary

Catalog No.	RHC33503
Clone ID	R3A92
Host species	Mouse
Tested applications	ELISA: 1:10000, FCM: 1:200-1:400, IF: 1:50-1:200, IHC: 1:200-1:1000, WB: 1:500-1:2000
Species reactivity	Human, Mouse, Rat
Form	Liquid
Storage buffer	0.01M PBS, pH 7.4, 0.05% Sodium Azide.
Concentration	1 mg/ml
Purity	>95% as determined by SDS-PAGE.
Clonality	Monoclonal
Isotype	IgG2a
Applications	ELISA, FCM, IF, IHC, WB
Target	PHE1A, PDHE1-A type I, Pyruvate dehydrogenase E1 component subunit alpha, somatic form, mitochondrial, PDHA1
Purification	Protein A/G purified from cell culture supernatant.
Endotoxin level	Please contact with the lab for this information.
Accession	P08559

Stability and Storage


Use a manual defrost freezer and avoid repeated freeze-thaw cycles.

Store at 4°C short term (1-2 weeks). Store at -20°C 12 months. Store at -80°C long term.


Note

For research use only.

Data Image




Flow cytometric analysis of Hela cells using PDHA1 mouse mAb (green) and negative control (red).




Immunofluorescence

Immunofluorescence analysis of Hela cells using PDHA1 mouse mAb (green). Blue: DRAQ5 fluorescent DNA dye. Red: Actin filaments have been labeled with Alexa Fluor- 555 phalloidin.




Immunofluorescence

Immunofluorescence analysis of NIH/3T3 cells using PDHA1 mouse mAb (green). Blue: DRAQ5 fluorescent DNA dye. Red: Actin filaments have been labeled with Alexa Fluor- 555 phalloidin.




Immunohistochemical

Immunohistochemical analysis of paraffin-embedded human lung cancer tissues using PDHA1 mouse mAb with DAB staining.




Immunohistochemical

Immunohistochemical analysis of paraffin-embedded human colon cancer tissues using PDHA1 mouse mAb with DAB staining.




Immunohistochemical

Immunohistochemical analysis of paraffin-embedded human colon cancer tissues using PDHA1 mouse mAb with DAB staining.




Immunohistochemical

Immunohistochemical analysis of paraffin-embedded human breast cancer tissues using PDHA1 mouse mAb with DAB staining.




Immunohistochemical

Immunohistochemical analysis of paraffin-embedded human rectum cancer tissues using PDHA1 mouse mAb with DAB staining.




Immunohistochemical

Immunohistochemical analysis of paraffin-embedded mouse kidney tissues using PDHA1 mouse mAb with DAB staining.




Immunohistochemical

Immunohistochemical analysis of paraffin-embedded Rat kidney tissues using PDHA1 mouse mAb with DAB staining.



Immunohistochemical

Immunohistochemical analysis of paraffin-embedded Rabbit kidney tissues using PDHA1 mouse mAb with DAB staining.



Western blot

Western blot analysis using PDHA1 mouse mAb against HepG2 (1), Hek293 (2), HL-60 (3), SK-OV-3 (4), PC-3 (5), PANC-1 (6), NRK (7), C2C12 (8), C6 (9), and PC-12 (10) cell lysate.