


Anti-CD73/NT5E Antibody (R3F90)

Summary


Catalog No.	RHD46601
Clone ID	R3F90
Host species	Mouse
Tested applications	ELISA: 1:10000, FCM: 1:200-1:400, IHC: 1:200-1:1000, WB: 1:500-1:2000
Species reactivity	Human, Mouse, Rat, Rabbit
Form	Liquid
Storage buffer	0.01M PBS, pH 7.4, 0.05% Sodium Azide.
Concentration	1 mg/ml
Purity	>95% as determined by SDS-PAGE.
Clonality	Monoclonal
Isotype	IgG1
Applications	ELISA, FCM, IHC, WB
Target	CD73, 5'-nucleotidase, NT5E, NT5, 5'-NT, Ecto-5'-nucleotidase, NTE
Purification	Protein A/G purified from cell culture supernatant.
Endotoxin level	Please contact with the lab for this information.
Accession	P21589
Stability and Storage	Use a manual defrost freezer and avoid repeated freeze-thaw cycles. Store at 4°C short term (1-2 weeks). Store at -20°C 12 months. Store at -80°C long term.
Note	For research use only.

Data Image




Flow Cytometry

Flow cytometric analysis of A431 cells using NT5E mouse mAb (green) and negative control (red).




Immunohistochemical

Immunohistochemical analysis of paraffin-embedded human endometrial cancer tissues using NT5E mouse mAb with DAB staining.




Immunohistochemical

Immunohistochemical analysis of paraffin-embedded human esophageal cancer tissues using NT5E mouse mAb with DAB staining.




Immunohistochemical

Immunohistochemical analysis of paraffin-embedded Mouse testis using NT5E mouse mAb with DAB staining.




Immunohistochemical

Immunohistochemical analysis of paraffin-embedded Rat kidney using NT5E mouse mAb with DAB staining.




Immunohistochemical

Immunohistochemical analysis of paraffin-embedded Rat kidney using NT5E mouse mAb with DAB staining.




Immunohistochemical

Immunohistochemical analysis of paraffin-embedded Rabbit testis using NT5E mouse mAb with DAB staining.



Immunohistochemical

Immunohistochemical analysis of paraffin-embedded Rabbit spleen using NT5E mouse mAb with DAB staining.



Western blot

Western blot analysis using NT5E mouse mAb against A431 cell lysate.