

# Anti-STIP1 Antibody (R3J28)

## Summary

---

<b>Catalog No.</b>	RHD97703
<b>Clone ID</b>	R3J28
<b>Host species</b>	Mouse
<b>Tested applications</b>	IHC: 1:100-1:200, IP: 1:100-1:200, WB: 1:500-1:1000
<b>Species reactivity</b>	Human
<b>Form</b>	Liquid
<b>Storage buffer</b>	0.01M PBS, pH 7.4, 0.05% Sodium Azide.
<b>Concentration</b>	1 mg/ml
<b>Purity</b>	>95% as determined by SDS-PAGE.
<b>Clonality</b>	Monoclonal
<b>Isotype</b>	IgG1
<b>Applications</b>	IHC, IP, WB
<b>Target</b>	Hop, Transformation-sensitive protein IEF SSP 3521, Hsc70/Hsp90-organizing protein, Renal carcinoma antigen NY-REN-11, Stress-induced-phosphoprotein 1, STI1, STIP1
<b>Purification</b>	Protein A/G purified from cell culture supernatant.
<b>Endotoxin level</b>	Please contact with the lab for this information.
<b>Accession</b>	P31948

## Stability and Storage


Use a manual defrost freezer and avoid repeated freeze-thaw cycles.

Store at 4°C short term (1-2 weeks). Store at -20°C 12 months. Store at -80°C long term.

## Note


For research use only.

## Data Image




Immunohistochemical

IHC-P analysis of testis tissue by STIP1 antibody (RHD97703). IHC-P was performed using sections of the formalin-fixed paraffin-embedded testis tissue; Result: Cells in seminiferous ducts are positively stained at the cytoplasm.



Immunoprecipitation

Lane 1: Jurkat lysate ; Lane 2: STIP1 immunoprecipitated from Jurkat lysate by RHD97703; Lane 3: The same as Lane 2 but use IgG isotype control antibody ; Result: RHD97703 can immunoprecipitate STIP1;



Western blot

Western blot analysis using STIP1 mouse mAb  
against Jurkat lysate