

# Anti-HNF4A Antibody (R3K59)

## Summary

---

<b>Catalog No.</b>	RHE31502
<b>Clone ID</b>	R3K59
<b>Host species</b>	Mouse
<b>Tested applications</b>	ELISA: 1:10000, FCM: 1:200-1:400, IHC: 1:200-1:1000
<b>Species reactivity</b>	Human
<b>Form</b>	Liquid
<b>Storage buffer</b>	0.01M PBS, pH 7.4, 0.05% Sodium Azide.
<b>Concentration</b>	1 mg/ml
<b>Purity</b>	>95% as determined by SDS-PAGE.
<b>Clonality</b>	Monoclonal
<b>Isotype</b>	IgG2b
<b>Applications</b>	ELISA, FCM, IHC
<b>Target</b>	Nuclear receptor subfamily 2 group A member 1, HNF-4-alpha, HNF4A, Hepatocyte nuclear factor 4-alpha, NR2A1, TCF14, Transcription factor 14, Transcription factor HNF-4, TCF-14, HNF4
<b>Purification</b>	Protein A/G purified from cell culture supernatant.
<b>Endotoxin level</b>	Please contact with the lab for this information.
<b>Accession</b>	P41235

**Stability and Storage**

Use a manual defrost freezer and avoid repeated freeze-thaw cycles.


Store at 4°C short term (1-2 weeks). Store at -20°C 12 months. Store at -80°C long term.

**Note**

For research use only.


**Data Image**

---




Flow Cytometry

Flow cytometric analysis of HepG2 cells using HNF4A mouse mAb (green) and negative control (red).



Immunohistochemical

Immunohistochemical analysis of paraffin-embedded human colon cancer tissues using HNF4A mouse mAb with DAB staining.



Immunohistochemical

Immunohistochemical analysis of paraffin-embedded human bladder cancer tissues using HNF4A mouse mAb with DAB staining.