

Anti-CSNK2B Antibody (R3P35)

Summary

Catalog No.	RHF61502
Clone ID	R3P35
Host species	Mouse
Tested applications	ELISA: 1:10000, FCM: 1:200-1:400, IF: 1:200-1:1000, IHC: 1:200-1:1000, WB: 1:500-1:2000
Species reactivity	Human
Form	Liquid
Storage buffer	0.01M PBS, pH 7.4, 0.05% Sodium Azide.
Concentration	1 mg/ml
Purity	>95% as determined by SDS-PAGE.
Clonality	Monoclonal
Isotype	IgG1
Applications	ELISA, FCM, IF, IHC, WB
Target	CSNK2B, G5A, CK2N, Protein G5a, Casein kinase II subunit beta, CK II beta, Phosvitin
Purification	Protein A/G purified from cell culture supernatant.
Endotoxin level	Please contact with the lab for this information.
Accession	P67870









Recombinant Proteins & Antibodies

Stability and Storage	Use a manual defrost freezer and avoid repeated freeze-thaw cycles. Store at 4°C short term (1-2 weeks). Store at -20°C 12 months. Store at - 80°C long term.
Note	For research use only.

Data Image



Flow cytometric analysis of Hela cells using CSNK2B mouse mAb (green) and negative control (red).



Immunofluorescence


Immunofluorescence analysis of MCF-7 cells using CSNK2B mouse mAb (green). Blue: DRAQ5 fluorescent DNA dye. Red: Actin filaments have been labeled with Alexa Fluor-555 phalloidin.








Recombinant Proteins & Antibodies




Immunohistochemical

Immunohistochemical analysis of paraffinembedded human cervical cancer tissues using CSNK2B mouse mAb with DAB staining.



Immunohistochemical

Immunohistochemical analysis of paraffinembedded human colon cancer tissues using CSNK2B mouse mAb with DAB staining.



Western blot


Western blot analysis using CSNK2B mouse mAb against Hela (1), Jurkat (2), K562 (3), HepG2 (4), C6 (5), SK-N-SH (6), NTERA-2 (7), MCF-7 (8), NIH/3T3 (9) cell lysate.

 \bigtriangledown





Recombinant Proteins & Antibodies



Western blot

Western blot analysis using CSNK2B mouse mAb against Hela (1), Jurkat (2), K562 (3), HepG2 (4), C6 (5), SK-N-SH (6), NTERA-2 (7), MCF-7 (8), NIH/3T3 (9) cell lysate.



