

Anti-NF- κ B p65 Antibody (R3Q87)

Summary

Catalog No.	RHG01003
Clone ID	R3Q87
Host species	Mouse
Tested applications	IHC: 1:100-1:500, WB: 1:500-1:2000
Species reactivity	Human, Mouse, Rat, Rabbit, Monkey
Form	Liquid
Storage buffer	0.01M PBS, pH 7.4, 0.05% Sodium Azide.
Concentration	1 mg/ml
Purity	>95% as determined by SDS-PAGE.
Clonality	Monoclonal
Isotype	IgG1
Applications	IHC, WB
Target	Nuclear factor NF-kappa-B p65 subunit, Nuclear factor of kappa light polypeptide gene enhancer in B-cells 3, RELA, Transcription factor p65, NFKB3
Purification	Protein A/G purified from cell culture supernatant.
Endotoxin level	Please contact with the lab for this information.
Accession	Q04206


Stability and Storage

Use a manual defrost freezer and avoid repeated freeze-thaw cycles.

Store at 4°C short term (1-2 weeks). Store at -20°C 12 months. Store at -80°C long term.


Note

For research use only.

Data Image


Immunohistochemical

Immunohistochemical analysis of paraffin-embedded Mouse kidney(A) Mouse liver (B) using NF- κ B p65 mouse mAb with DAB staining.




Immunohistochemical

Immunohistochemical analysis of paraffin-embedded Rat spleen(A) Rat liver (B) using NF- κ B p65 mouse mAb with DAB staining.




Immunohistochemical analysis of paraffin-embedded Rabbit spleen(A) Rabbit liver(B) using NF-κB p65 mouse mAb with staining.

Immunohistochemical




Western blot analysis using NF-κB p65 mAb against Jurkat (1), K562 (2) and NIH (3) cell lysate.

Western blot



Western blot analysis using NF-κB p65 mAb against RSC-96(1), KO-SF(2), NIH/3T3(3), NRK(4), C2C12(5), C6(6), and 8 cell lysate.

Western blot



Western blot

Western blot analysis using NF-κB p65 mAb against RSC-96(1), KO-SF(2), NIH/3T3(3), NRK(4), C2C12(5), C6(6), 8 cell lysate.