

Anti-NF- κ B p65 Antibody (R3Q91)

Summary

Catalog No.	RHG01007
Clone ID	R3Q91
Host species	Mouse
Tested applications	IF: 1:50-1:200, IHC: 1:50-1:100, IP: 1:20, WB: 1:500-1:1000
Species reactivity	Human, Mouse, Rat
Form	Liquid
Storage buffer	0.01M PBS, pH 7.4, 0.5% BSA, 0.05% Sodium Azide and 50% Glycerol.
Concentration	1 mg/ml
Purity	>95% as determined by SDS-PAGE.
Clonality	Monoclonal
Isotype	IgG1
Applications	IF, IHC, IP, WB
Target	Nuclear factor NF-kappa-B p65 subunit, Nuclear factor of kappa light polypeptide gene enhancer in B-cells 3, RELA, Transcription factor p65, NFKB3
Purification	Protein A/G purified from cell culture supernatant.
Endotoxin level	Please contact with the lab for this information.
Accession	Q04206

Stability and Storage

Use a manual defrost freezer and avoid repeated freeze-thaw cycles.

Store at 4°C short term (1-2 weeks). Store at -20°C 12 months. Store at -80°C long term.

Note


For research use only.

Data Image




Immunofluorescence analysis of NF-KB p65 in HeLa using NF-KB p65 antibody, and DAPI (blue).

Immunofluorescence




Immunohistochemistry analysis of paraffin-embedded rat Brain Tissue using NF-KB p65 antibody. High-pressure and temperature Sodium Citrate pH 6.0 was used for antigen retrieval.

Immunohistochemical




Immunoprecipitation

Immunoprecipitation analysis of NF-KB p65 in HeLa lysates using NFkB p65 antibody.




Western blot

Western blot analysis of NF-KB p65 in T47D, 3T3, COS7, C6 and HeLa lysates using NF-KB p65 antibody.



Western blot

Western blot analysis of NF-KB p65 in COS7, C6, T47D lysates using NF-KB p65 antibody.



Western blot

Western blot analysis of NF-KB p65 in COS7, C6, T47D lysates using NF-KB p65 antibody.