

Anti-AKR1C1 Antibody (R3R02)

Summary

| | |
|----------------------------|--|
| Catalog No. | RHG02902 |
| Clone ID | R3R02 |
| Host species | Mouse |
| Tested applications | FCM: 1:200-1:400, IHC: 1:200-1:400, WB: 1:500-1:1000 |
| Species reactivity | Human, Rabbit |
| Form | Liquid |
| Storage buffer | 0.01M PBS, pH 7.4, 0.05% Sodium Azide. |
| Concentration | 1 mg/ml |
| Purity | >95% as determined by SDS-PAGE. |
| Clonality | Monoclonal |
| Isotype | IgG1 |
| Applications | FCM, IHC, WB |
| Target | High-affinity hepatic bile acid-binding protein, DDH, AKR1C1, Chlordecone reductase homolog HAKRC, HBAB, 20-alpha-HSD, DD1, 20-alpha-hydroxysteroid dehydrogenase, Aldo-keto reductase family 1 member C1, DDH1, Dihydrodiol dehydrogenase 1 |
| Purification | Protein A/G purified from cell culture supernatant. |
| Endotoxin level | Please contact with the lab for this information. |
| Accession | Q04828 |

Stability and Storage


Use a manual defrost freezer and avoid repeated freeze-thaw cycles.

Store at 4°C short term (1-2 weeks). Store at -20°C 12 months. Store at -80°C long term.


Note

For research use only.

Data Image




Flow Cytometry



Immunohistochemical


Flow cytometric analysis of Hela cells using AKR1C1 mouse mAb (green) and negative control (red).

Immunohistochemical analysis of paraffin-embedded human lung cancer tissues using AKR1C1 mouse mAb with DAB staining.




Immunohistochemical

Immunohistochemical analysis of paraffin-embedded human gastric cancer tissues using AKR1C1 mouse mAb with DAB staining.




Immunohistochemical

Immunohistochemical analysis of paraffin-embedded rabbit liver tissues using AKR1C1 mouse mAb with DAB staining.




Immunohistochemical

Immunohistochemical analysis of paraffin-embedded small intestine tissues using AKR1C1 mouse mAb with DAB staining.



Immunohistochemical



Western blot

Immunohistochemical analysis of paraffin-embedded small intestine tissues using AKR1C1 mouse mAb with DAB staining.

Western blot analysis using AKRAC1 mouse mAb against Hela(1), HepG2(2) cell lysate.