


Research Grade Anti-Human IL8/CXCL8 Antibody (HuMax-IL8)

Summary


Catalog No.	DHC79101
Alternative Names	HuMab 10F8, HuMax-IL8, MDX-018, formerly HuMax-Inflam
Clone ID	HuMax-IL8
Host species	Human
Species reactivity	Human
Form	Liquid
Storage buffer	0.01M PBS, pH 7.4.
Concentration	2.6 mg/ml
Purity	>95% as determined by SDS-PAGE.
Clonality	Monoclonal
Isotype	IgG1-kappa
Applications	Research Grade Biosimilar

Target	GCP/IL-8 protein II, MDNCF, IL8/NAP1 form III, IL-8(1-77), Neutrophil-activating factor, GCP/IL-8 protein I, GCP/IL-8 protein VI, Interleukin-8, Chemokine (C-X-C motif) ligand 8, Neutrophil-activating protein 1, Monocyte-derived neutrophil chemotactic factor, (Ser-IL-8)72, MDNCF-b, LY NAP, GCP/IL-8 protein V, IL8/NAP1 form IV, MONAP, IL8/NAP1 form V, IL8/NAP1 form VI, NAP-1, Granulocyte chemotactic protein 1, GCP/IL-8 protein III, IL8/NAP1 form II, IL8, IL-8, CXCL8, IL8/NAP1 form I, (Ala-IL-8)77, Protein 3-10C, GCP/IL-8 protein IV, Emotakin, GCP-1, C-X-C motif chemokine 8, NAF, T-cell chemotactic factor, MDNCF-c, Monocyte-derived neutrophil-activating peptide, Lymphocyte-derived neutrophil-activating factor
Purification	Protein A/G purified from cell culture supernatant.
Endotoxin level	Please contact with the lab for this information.
Expression system	Mammalian Cells
Accession	P10145
Stability and Storage	Use a manual defrost freezer and avoid repeated freeze-thaw cycles. Store at 4°C short term (1-2 weeks). Store at -20°C 12 months. Store at -80°C long term.
Note	For research use only. Not suitable for clinical or therapeutic use.


Data Image



Detects Human IL8/CXCL8 in indirect ELISAs.



SDS PAGE for HuMax-IL8



The purity of this product is >95% as determined by SEC-HPLC.