

# 3T3-L1 whole cell lysate

## Summary

---

|                              |   |
|------------------------------|---|
| <b>Catalog No.</b>           | CLM00031  |
| <b>Form</b>                  | Liquid  |
| <b>Storage buffer</b>        | 1 X Sample Buffer (1 X RIPA buffer + 1 X SDS loading buffer).   |
| <b>Concentration</b>         | 100 µg at 2 mg/ml   |
| <b>Applications</b>          | WB  |
| <b>Stability and Storage</b> | Use a manual defrost freezer and avoid repeated freeze thaw cycles. Store at -20 to -80°C for twelve months from the date of receipt. |
| <b>Note</b>                  | For research use only.  |

## Background

---

Cell lysate was prepared by homogenization in ice-cold modified RIPA Lysis Buffer (50mM Tris(pH 7.4) , 150mM NaCl , 1% Triton X-100, 1% deoxycholate, 0.1% SDS) with cocktail of protease inhibitors. Cell debris was removed by centrifugation. Protein concentration was determined by Bradford assay. The cell lysate was boiled for 5 min in 1 x SDS loading buffer (50 mM Tris-HCl pH 6.8, 12.5% glycerol, 1% sodium dodecylsulfate, 0.01% bromophenol blue) containing 5% b-mercaptoethanol.

## Data Image

---