

## Anti-Human ROR1 Antibody (SAA0140)

| Summary |
|---------|
|---------|

| Catalog No.           | FHF90710  |
|-----------------------|---|
| Clone ID              | SAA0140   |
| Host species          | Human   |
| Conjugation           | Unconjugated  |
| Species reactivity    | Human   |
| Form                  | Liquid  |
| Storage buffer        | 0.01M PBS, pH 7.4.  |
| Concentration         | 4.69 mg/ml  |
| Purity                | >95% as determined by SDS-PAGE.   |
| Clonality             | Monoclonal  |
| Isotype               | IgG1, Kappa   |
| Applications          | FCM   |
| Target                | Neurotrophic tyrosine kinase, receptor-related 1, Inactive tyrosine-protein kinase transmembrane receptor ROR1, NTRKR1, ROR1, UC-961                                |
| Purification          | Protein A/G purified from cell culture supernatant.   |
| Endotoxin level       | Please contact with the lab for this information.   |
| Accession             | Q01973  |
| Stability and Storage | Use a manual defrost freezer and avoid repeated freeze-thaw cycles.<br>Store at 4°C short term (1-2 weeks). Store at -20°C 12 months. Store at -<br>80°C long term. |




## AntibodySystem

Recombinant Proteins & Antibodies

Note

For research use only.

## Data Image



Flow-cytometry using anti- human ROR1 antibody. Human CACO-2 cell line were stained with an irrelevant antibody (Green Histogram) or an antihuman ROR1 antibody monoclonal antibody (Catalog # FHF90710, Red Histogram) at a concentration of 20 µg/ml for 30 mins at RT. After washing, bound antibody was detected using a FITC conjugated goat anti-human antibody (Catalog # PHB96441 ) and cells analysed on a NovoCyte Flow Cytometer.



