

## Anti-Human CD142/F3/TF Antibody (SAA0059)

## Summary


Catalog No.	FHD00610
Clone ID	SAA0059
Host species	Human
Conjugation	Unconjugated
Species reactivity	Human
Form	Liquid
Storage buffer	0.01M PBS, pH 7.4.
Concentration	1 mg/ml
Purity	>95% as determined by SDS-PAGE.
Clonality	Monoclonal
Isotype	IgG1, kappa
Applications	FCM
Target	Tissue factor, CD142, F3, Thromboplastin, Coagulation factor III, TF
Purification	Protein A/G purified from cell culture supernatant.
Endotoxin level	Please contact with the lab for this information.
Accession	P13726
Stability and Storage	Use a manual defrost freezer and avoid repeated freeze-thaw cycles. Store at 4°C short term (1-2 weeks). Store at -20°C 12 months. Store at - 80°C long term.
Note	For research use only.




## 🍸 AntibodySystem

Recombinant Proteins & Antibodies

## Data Image





Flow-cytometry

Various lysates were subjected to SDS PAGE followed by western blot with Anti Human CD142/F3/TF antibody [SAA0059] (FHD00610) at 1µg/ml.

Lane 1: Human CD142/F3/TF transfected HEK293 cell lysate Lane 2: Non-transfected HEK293 cell lysate

Second Ab: Goat Anti-Mouse IgG H&L Polyclonal antibody, HRP (PMB96431) at 0.1 µg/mL.

Predict MW: 28 kDa

Flow-cytometry using anti-human CD142 antibody.CD142 Transfected CHO cells were stained with an irrelevant antibody (Blue Histogram) or an anti-human CD142 antibody monoclonal antibody (Catalog # FHD00610 ,Green Histogram) at a concentration of 5 µg/ml for 30 mins at RT. After washing, bound antibody was detected using a FITC conjugated goat anti-mouse antibody (Catalog # PMB96441) and cells analysed on a NovoCyte Flow Cytometer.

🥑 www.antibodysystem.com

 $\mathbf{\nabla}$ 

